

Frascio®

Design Catalog



Design Driven
Compatibility Perfected

A valued brand of **FRInternational**

www.FRInternational.com

About Us

From our earliest beginnings in 1945 as a workshop in northern Italy, Frascio has grown to become a globally recognized decorative door hardware brand specified by premier architects and designers worldwide.

We remain true to our original manufacturing philosophy: to use only the highest quality materials, to continuously research emerging designs and technology, and to uphold careful attention to production detail.




We utilize the latest CAD engineering tools to create designs and ensure reliable system operation. And, for those projects that require additional shapes and configurations, we are pleased to offer our custom design services.

FR International, based in Indiana, U.S.A., provides the commercial marketplace with all the advantages of a high-end decorative hardware brand combined with strong mechanical engineering and commercial hardware industry experience. Our designs are available on rugged commercial-quality mechanical platforms that conform to market requirements.

FR International proudly presents this, our latest and expanded offering of decorative hardware.

FR International, LLC
1011 3rd Avenue S.W.
Carmel, Indiana USA 46032
Tel: (317) 663-0030
Fax: (317) 663-0029
Toll Free: 1-800-238-9711
www.FRInternational.com



Project References

AMERICAS

CANADA

EAST GWILLIMBY, ONTARIO
York Region EMS Operations Center
TORONTO, ONTARIO
East General Hospital
Huawei Office
Victoria's Secret – Global Retail
Women's College Hospital
WINNIPEG, MAITOBA
Asper School of Business

CARRIBEAN

SAN JUAN PUERTO RICO
Marriott Hotel
El San Juan Hotel
ST. KITTS
Park Hyatt
ST. MAARTEN
Coral Beach Club
ST. THOMAS
Marriott Hotel
VIRGIN ISLANDS
Peter Island Resort and Spa

CHILE

LAS CONDES
Hotel Marriot
SANTIAGO
El Golf I-II-III
Television National De Chile

MEXICO

LOS CABOS
La Capella Pedregal Resort

U.S.A.

ANAHEIM, CA
Fairfield Inn
ARLINGTON, VA
Marriott Crystal Gateway
ATLANTA, GA
Four Seasons Hotel
Marriott Atlanta Airport
Renaissance Hotel
St. Regis Hotel
AUSTIN, TX
Austin Renaissance Hotel
Fairmont Hotel

BASALT, CO
Triangle Park Lofts
BERKLEY HEIGHTS, NJ
Embassy Suites Hotel
BOCA RATON, FL
Alina Residences
BOSTON, MA
319A Condominiums Boston
Battery Wharf
Longyear at Fisher Hill
BROOKLYN, NY
Equinox
Greenpoint Landing
BURLINGTON, MA
Microsoft Campus
CARMEL, IN
Hotel Carmichael
CHEROKEE, NC
Cherokee Hotel & Casino
CHEYENNE, WY
Warren Air Force Base
CHICAGO, IL
208 South LaSalle
Lincoln Park 2550
AmlI River North
Chicago Hilton Hotel
The Legacy at Millennium Park
Skygazer Astellas Tower
Solstice on The Park
Tribune Tower Residences
University Club
CLEARWATER, FL
La Bella Sera Condominiums
DALLAS, TX
Old Parkland
The Joule Hotel
The Modern
DENVER, CO
Clayton Street Condominiums
Marriott Hotel
Marriott Tech Center
Waterside Lofts
DETROIT, MI
Vinton Building
FORT LAUDERDALE, FL
Auberge Beach House
Marriott Harbor Beach Resort
Pier 66 Hotel and Marina
HAINES CITY, FL
Balmoral Resort

HOUSTON, TX
Hess Corporation Tower
JW Marriott
Marriott Westchase
The Westin Galleria
HUDSON YARDS, NY
Wine Spectator
INDIANAPOLIS, IN
IU Health Downtown Medical Campus
Omni Hotel
Signia Hotel
IRVING, TX
Omni Las Colinas Hotel
ITHACA, NY
Cornell University
JACKSONVILLE, FL
Costa Verano Condominiums
JERSEY CITY, NJ
The Depository Trust & Clearing Corp.
KEY BISCAYNE, FL
Ritz Carlton Hotel
KEY LARGO, FL
Hilton
Key Largo Hotel
LAS VEGAS, NV
Aria Hotel – City Center
Bellagio Villas
Cosmopolitan Hotel & Casino
Fontainebleau Resort
Four Seasons Hotel
Grand Chateau Marriott
Hyatt Regency Lake Las Vegas
MGM Grand Hotel
Paris Hotel
Sky On The Strip
VDara Hotel & Spa – City Center
LOS ANGELES, CA
Dream Hotel
The Grand by Gehry
MIAMI BEACH, FL
Carillon Hotel
Delano Hotel
Faena Residence Tower
Intercontinental Hotel
One Park Tower
Oceanview Condominiums
Panorama Tower
Saxony Hotel
Sonesta Coconut Grove

Project References

MONTECITO, CA

Rosewood Miramar

MYRTLE BEACH, SC

DoubleTree by Hilton

NAPLES, FL

Ritz Carlton One Resort

NEW YORK CITY, NY

30 Morningside

625 Fulton

64 E. 1st Street Condominiums

139 Centre Street

205 E. 92nd Street

261 Hudson Street

318 W. 52nd Street

410 Waverly

520 W 28th St Luxury Condos

Bracebridge Capital

Columbia Doctor's Midtown Clinic

Continuum

Domino Park

Lexington Hotel

MLS

Nielsen

Peter Cooper Village –

Riverside South

Stuyvesant Town

The Strathmore Luxury Apartments

Thor Equities

Westin Hotel

ORLANDO, FL

Four Seasons Residences

Hyatt Regency Hotel

Port Orleans Resort Walt Disney World

PALM BEACH, FL

The Palm House Hotel

Ritz Carlton Residences

PALM COAST, FL

Cambria at Hammock Dunes

Le Jardin

Tuscany Tower

POMPANO BEACH, FL

Ritz Carlton Resort

PONTE VEDRA BEACH, FL

Sawgrass Marriott Golf Resort & Spa

RIVIERA DUNES, FL

Bel Mare

SAN FRANCISCO, CA

399 Fremont Street

Ebay, Inc.

One Rincon Hill

Stub Hub

Watermark Tower

SARASOTA, FL

Ritz Carlton Residences

SCOTTSDALE, AZ

Westin Kierland

SILVER SPRINGS, MD

Sheraton Hotel

SOUTH BEND, IN

Notre Dame Campus Crossroads

SUNNY ISLES, FL

Ritz Carlton Residences

TAMPA, FL

Omni Hotel

Ritz Carlton Residences Oaks

The Place at Channel Side

VAIL, CO

Sonnenalp Hotel

WASHINGTON D.C.

2400 14th Street

Adams Morgan Historic Hotel

City Center Condominiums

DoubleTree by Hilton

Grand Hyatt Hotel

Mayflower Renaissance Hotel

McLean Hilton

Renaissance Washington D.C. Hotel

WEST PALM BEACH, FL

Hilton Convention Center

WICKENBURG, AZ

Wickenburg Ranch Golf & Social Club

QATAR

DOHA

Islamic Studies Center

Lebanese Embassy

Msheireb Downtown Phase 1C, 2

New Doha International Airport

The Pearl, Porto Arabia

SAUDI ARABIA

RIYADH

CMA Tower

ITCC Complex

King Abdullah Financial District

MAKKAH

Conrad Hotel

Hilton Hotel

Hilton Suites Hotel

Marriott Hotel

UNITED ARAB EMIRATES

ABU-DHABI

Abu-Dhabi Commercial Bank

DUBAI

Azure Building – Dubai Marina

Capricorn Tower

Dhow Palace Hotel

Dubai International Airport

Dubai Media City, Phase 2

Golf Club Houses & Villas,

Emirates Hills

Le Riviera Tower

Mashreq Bank HQ

Sharjah Down-Town Center

RAS AL KHAIMAH

Wynn Al-Marjan

MIDDLE EAST

KUWAIT

KUWAIT CITY

Sieb Palace

LEBANON

BEIRUT

Movenpick Hotel & Resort

TRIPOLI

Balamand University

OMAN

MUSCAT

Grand Mosque

SALALAH

Royal Palace

ASIA

PHILIPPINES

MANILA

Okada Manila Bay Resort

SOUTH KOREA

SEOUL

Hankook Tire Headquarters



PR0326

Our commitment to environmentally-friendly manufacturing

Frascio is a manufacturer of door hardware with locations in Lavenone, Italy and Indianapolis, Indiana. Frascio products are manufactured primarily from brass, zinc, stainless steel, and steel. Much of the raw material used to produce these parts comes from recycled metal. The percentage of post-consumer and post-industrial recycled content is estimated as follows:

-  The brass and zinc materials that are used to make many Frascio products typically contain 80-100% recycled material, a combination of melted scrap metal and reclaimed by-products.
-  The post-industrial recycled content of steel used to make Frascio products is approximately 30-40% (Approximately 30% -40% of the metal used to produce Frascio products is either scrap metal or other recycled material that is melted in the furnace)
-  Stainless steel that is used in Frascio products has a post-industrial recycled content of approximately 70%, and a post-consumer recycled content of approximately 8%.
-  Approximately 40% of the packaging that is used by Frascio is comprised of recycled material

The above percentages show an average of Frascio's overall production. Actual percentages on any order will vary based on the specific products that comprise that order as well as the mill source for the metal that is used on any specific order.

When no longer needed, Frascio brass, stainless, and zinc parts are 100% recyclable.

Frascio is committed to responsible business and manufacturing practices that help conserve resources and protect our environment.





Nathan Tobey
CEO

Door Handing

How to Determine the Hand of a Door

Hand of door is always determined from the outside. Face the outside of the door to determine the hand. Here are some rules to follow:

- The outside of an exterior door is the street or entrance side.
- The outside of a room door is the hall side.
- The outside of a closet door is the room or hall side.
- To determine single-side handing for a communicating door, refer to the lever handing diagram.
- To determine single-side handing for dummy trim, refer to the lever handing diagram.



Lever Handing



Finishes Index

Finish Code (Reference BHMA)	
605	Polished Brass
606	Satin Brass
606M	Matte Satin Brass
609	Antique Brass
609M	Antique Brass – Matte
613	Oil-Rubbed Bronze
618	Polished Nickel
619	Satin Nickel
620	Antique Nickel
620M	Antique Nickel – Matte
622	Matte Black
IXBLK	PVD Black
625	Polished Chrome
626	Brushed Satin Chrome
629	Polished Stainless Steel
630	Brushed Satin Stainless Steel
695	Bronze Powder Coated
IXATC	Anthracite PVD Charcoal
IXB	InoxBrass PVD Bright Brass
IXS	InoxSatin PVD Satin Brass
IXSLN	InoxSatin London Night
IXC	InoxChrome PVD Stainless
AM	Anti-Microbial Coating

Additional decorative finishes available upon request.

Custom colors can be developed to your requirement.

Levers, Knobs & Pulls



Levers

Choose from hundreds of high-end decorative lever designs engineered using the highest quality materials and crafted with careful attention to detail.

Many more designs are available in our product catalog at www.FRIInternational.com.



110 Apollo



146 Star



200 Easy



220 Alpha



230 Beta



250 Butterfly



260 Cosmos



270 Metro



280 Straight



300 Laguna



380 Julius



400 Soft



401 Soft Plus



620 Tuke



630 Eidos



640 Kuma



650 Kalé



700 Flow



710 Aria



720 Sweep



744 Sigma



745 Modulo L



785 Bambu



813 Verano



823 Saló



900 Stella



903 Trevi



937 Corina



939 Allegra



1023 Ursa



1210 Filoo



1220 Anatra



1270 Drop



1290 Form



1300 Adria



1310 Florence



1320 Decima



1330 Seppia



1520 Leaf



1540 Chill



1550 Chill+



1580 Rise



2250 Halley



5000 Alessia



5013 Urbano



5019 Band



5100 Lucia



5130 Delta



5150 Gamma



5200 Loft



5219 Misano



5300 Omega



5350 Raffaella



5550 Laura



5650 Gabriella



5700 Loredana



5702 Stefano



5750 Adina



5752 Ellise



5800 Antonella



5804 Maretto



5810 Sigma



5820 Forino



5850 Christina



5855 Sophia



6118 Lorenzo



6202 Decora



6208 Esago




6210 Base



6215 Valenza



6218 Simpla



6220 Kappa



6280 Vienna



6587 Tacta



6592 Cutlass



6594 Modulo B



6605 Textura



6612 Marco



6774 Scala



6716 Arno

View more lever designs in our product catalog at www.FRIInternational.com



Knobs



507 Solero



755 Quadra



788 Cortona



1025 Polaris



6715 Octaga



Pulls



DPA4134
Star



DPE1016
Easy



DPE1017
Fenice



DPE1018
Pavone



DPE4026
Kale



DPE7011
Attila



DPA4135
Modulo



DPC4024
Verano



DPA4136
Trento



DPE1020
Siena



DPC4021
Join



DPE7012
Arpa

Additional designs not shown in this catalog may be viewed online at www.FRIInternational.com, or contact us to match your design requirement.



Pulls

Architectural Door Pull Series



See our Architectural Door Pulls catalog for details.

LDP Locking Door Pull Series



See our Locking Door Pulls catalog for details.

Additional designs not shown in this catalog may be viewed online at www.FRIInternational.com, or contact us to match your design requirement.




110 | Apollo



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Apollo lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

110	1905	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Apollo 110	1903 (65 mm) 1904 (65 mm) 1905 (65 mm) 1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




146 | Star



Shown in Polished Brass finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Star lever on a standard rose, passage function, in polished brass finish with 2-3/4" backset

146	1905	PA	US3	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Star 146	1903 (65 mm) 1904 (65 mm) 1905 (65 mm) 1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



192 | Mimosa


LEVERS



Shown in Polished Brass finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Mimosa lever on a standard rose, passage function, in polished brass finish with 2-3/4" backset

192	1912	PA	US3	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Mimosa 192	1903 (65 mm) 1904 (65 mm) 1905 (65 mm) 1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




200 | Easy



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Easy lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

200	1912	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Easy 200	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

220 | Alpha




Matching item available:
• 543 door stop

Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions




Tubular leversets ordering example:

Alpha lever on a standard rose, passage function, in satin stainless finish with 2-3/4" backset

220	1912Q	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Alpha 220	1912Q (65 mm) 1912 (65 mm) SMQ (54 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

230 | Beta




Matching item available:
• 543 door stop

Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Beta lever on a standard rose, passage function, in satin stainless finish with 2-3/4" backset

230	1912Q	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Beta 230	1912Q (65 mm) 1912 (65 mm) SMQ (54 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



250 | Butterfly


LEVERS



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Butterfly lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

250	1912	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Butterfly 250	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



260 | Cosmos

LEVERS



NOTE: Available on a special order basis for projects that meet minimum production order requirements. Please contact us with your request.

Shown in Satin Nickel finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep

Small rose system



Lever with 52 mm rose for mortise and custom tubular door prep

Escutcheon plate system

Lever with plate for mortise functions



See "Rose Options" page for available rose options



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Cosmos lever on a standard rose, passage function, in satin nickel finish with 2-3/4" backset

260	1912	PA	US15	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Cosmos 260	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




270 | Metro



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Metro lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

270	1912	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Metro 270	1912Q (65 mm) 1912 (65 mm) SMQ (54 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



280 | Straight


LEVERS



Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Straight lever on a standard rose, passage function, in satin stainless finish with 2-3/4" backset

280	1912Q	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Straight 280	1912Q (65 mm) 1912 (65 mm) SMQ (54 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




300 | Laguna



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Laguna lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

300	1912	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Laguna 300	1903 (65 mm) 1905 (65 mm) 1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

380 | Julius


LEVERS



Shown in Satin Nickel finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Julius lever on a standard rose, passage function, in satin nickel finish with 2-3/4" backset

380	1912	PA	US15	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Julius 380	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

400 | Soft


LEVERS



Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Soft lever on a standard rose, passage function, in polished chrome finish with 2-3/4" backset

400	1912	PA	US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Soft 400	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




401 | Soft Plus



Shown in Polished Nickel/Satin Nickel finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Soft Plus lever on a standard rose, passage function, in polished/satin nickel finish with 2-3/4" backset

401	1912	PA	US14/15	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Soft Plus 401	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



620 | Tuke




Matching item available:
• 5041 Siena pull

Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions




See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Tuke lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

620	1912Q	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Tuke 620	1912Q (65 mm) 1912 (65 mm) SMQ (54 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


630 | Eidos



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Eidos lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

630	1912Q	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Eidos 630	1912Q (65 mm) 1912 (65 mm) SMQ (54 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




639 | Theta



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Theta lever on a 54 mm square rose, passage function, in satin chrome finish with 2-3/4" backset

639	SMQ	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Theta 639	1912Q (65 mm) 1912 (65 mm) SMQ (54 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


640 | Kuma



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Kuma lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

640	1912	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Kuma 640	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



650 | Kalé




LEVERS

Matching item available:
• 651 Kalé pull

Shown in Polished Chrome finish


Standard rose system

Lever with 65 mm square rose for standard tubular 2-1/8" door prep




Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

See "Rose Options" page for available rose options

Tubular leversets ordering example:

Kalé lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

650	1912Q	PA	US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Kalé 650	1912Q (65 mm) 1912 (65 mm) SMQ (54 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



700 | Flow


LEVERS



Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Flow lever on a standard rose, passage function, in polished chrome finish with 2-3/4" backset

700	1912	PA	US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Flow 700	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


710 | Aria



Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm radiused square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Aria lever on a standard rose, passage function, in polished chrome finish with 2-3/4" backset

710	1912	PA	US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Aria 710	SMQ (54 mm) SMQR (54 mm) SM (52 mm) 1912-Q (65 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




720 | Sweep



Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Sweep lever on a standard square rose, passage function, in satin stainless/polished chrome finish with 2-3/4" backset

720	1912Q	PA	US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Sweep 720	SMQ (54 mm) 1912-Q (65 mm) SM (52 mm) 1912-75 (75 mm)	PA (Passage) PY (Privacy) SD (Single Dummy) COM-PA (Communicating Passage)	Per project specification	2-3/8" 2-3/4"	



744 | Sigma


LEVERS



Shown in Satin Chrome Finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Sigma lever on a 1912 standard round rose, passage function, in satin stainless steel finish, with 2-3/4" backset

744	1912	PA	630	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Sigma 744	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



745 | Modulo L




Matching item available:
• 792 Modulo L pull

Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Modulo L lever on a standard rose, passage function, in polished chrome finish with 2-3/4" backset

745	1912	PA	US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Modulo L 745	1903 (65 mm) 1904 (65 mm) 1905 (65 mm) 1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


785 | Bambu



Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Bambu lever on a standard rose, passage function, in polished chrome finish with 2-3/4" backset

785	1912	PA	US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Bambu 785	1905 (65 mm) 1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


796 | Uovo



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Uovo lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

796	1912	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Uovo 796	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



813 | Verano

LEVERS




Matching item available:
• 814 Verano pull

Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Verano lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

813	1912	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Verano 813	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




823 | Saló



Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Saló lever on a standard rose, passage function, in polished chrome finish with 2-3/4" backset

823	1912	PA	US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Saló 823	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



900 | Stella


LEVERS



Shown in Stainless Steel/Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Stella lever on a standard rose, passage function, in stainless/polished chrome finish with 2-3/4" backset

900	1912	PA	US26/32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Stella 900	1903 (65 mm) 1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


903 | Trevi



Shown in Satin Nickel finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Trevi lever on a standard rose, passage function, in satin nickel finish with 2-3/4" backset

903	1905	PA	US15	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Trevi 903	1903 (65 mm) 1904 (65 mm) 1905 (65 mm) 1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



925 | Join



Shown in Clear /Polished Chrome Finish (Grip is machined acrylic)



Red /Polished Chrome



White /Satin Stainless



Black /Satin Stainless




Clear Blue /Satin Stainless

Matching item available:

- DPC4021 Join pull

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Join lever on a small square rose, passage function, in Clear/Polished chrome with 2-3/4" backset

925	SMQ	PA	Clear/625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Join 925	SMQ (54mm) SMQR (54mm) SM (52mm) 1912Q (65mm) 1912 (65mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



936 | Alessandra


LEVERS



Shown in Silver/Polished Chrome finish
(Grip is hard anodized aluminum)

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Alessandra lever on a standard rose, passage function, in silver/polished chrome finish with 2-3/4" backset

936	1912	PA	Silver/US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Alessandra 936	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



937 | Corina


LEVERS



Shown in Stainless Steel/Polished Chrome finish
(Grip is stainless steel)

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Corina lever on a standard rose, passage function, in satin stainless/polished chrome finish with 2-3/4" backset

937	1912	PA	US26/32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Corina 937	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



938 | Gaia


LEVERS



Shown in Anodized Silver/Polished Chrome finish
(Grip is hard anodized aluminum)

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Gaia lever on a standard rose, passage function, in anodized silver/polished chrome finish with 2-3/4" backset

938	1912	PA	Silver/US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Gaia 938	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

939 | Allegra

LEVERS




Matching item available:
• 934 Trento pull

Shown in Black/Polished Chrome finish
See combination options on back of this page
(Grip is hard anodized aluminum, stainless steel, or brass)

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Allegra lever on a standard rose, passage function, in black/polished chrome finish with 2-3/4" backset

939	1912	PA	Black/US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Allegra 939	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



939 | Allegra

LEVERS



Black/Polished Chrome



Silver/Polished Chrome



Anthracite/Satin Chrome



Polished Brass/Satin Brass



Anthracite/Polished Chrome



Black/Satin Chrome



Stainless Steel/Satin Chrome



Silver/Satin Chrome



Stainless Steel/Polished Chrome

The 939 Allegra lever is available in these standard finish combinations that incorporate an accent color grip, crafted in hard anodized aluminum, brass, or stainless steel. Additional color combinations are possible using BHMA finishes and your desired accent color on a custom order basis.




940 | Roma



Shown in Satin Nickel finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Roma lever on a standard rose, passage function, in satin nickel finish with 2-3/4" backset

940	1905	PA	US15	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Roma 940	1903 (65 mm) 1904 (65 mm) 1905 (65 mm) 1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




1023 | Ursa



Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Ursa lever on a standard rose, passage function, in polished chrome finish with 2-3/4" backset

1023	1905	PA	US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Ursa 1023	1903 (65 mm) 1904 (65 mm) 1905 (65 mm) 1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




1200 | Bump



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Bump lever on a standard rose, passage function, in satin chome finish with 2-3/4" backset

1200	1912	PA	626	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Bump 1200	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




1210 | Filoo



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Filoo lever on a standard rose, passage function, in satin chome finish with 2-3/4" backset

1210	1912	PA	626	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Filoo 1210	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




1220 | Anatra



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:


Anatra lever on a standard rose, passage function, in satin chome finish with 2-3/4" backset

6605	1912	PA	626	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Anatra 1220	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

1230 | Solaris



Shown in Satin Stainless Steel Finish



Integrated rose system

The 1230 Solaris lever introduces a new, contemporary concept for lever set trim in which the lever and rose design converge together to provide a unique, integrated trim system.

The round cylinder-shaped rose collar encases the round lever face and the flat bar lever grip which rotate together when the lever is depressed.

The Solaris is only compatible with M500 Mortise Lock systems and T700 Tubular Passage Latch sets. Tubular privacy function applications require the use of a privacy bolt (PB70).

Mortise lock ordering example:

Solaris lever, privacy function, in satin stainless steel finish, with handicap-accessible turnknob and emergency coin release

1230	M526	630	RHR	R71	EMT
Lever design	Function	Finish	Backset/Handing	Option	Option
Solaris 1230 with integrated rose	Refer to M500 Function chart	Per project specification	RH RHR LH LHR	Refer to M500 option designations	Refer to M500 option designations

1270 | Drop


LEVERS



Shown in Satin Chrome Finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Drop lever on a 1912 standard round rose, passage function, in satin stainless steel finish, with 2-3/4" backset

1270	1912	PA	626	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Drop 1270	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

1290 | Form


LEVERS



Shown in Satin Nickel Finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Form lever on a 1912 standard round rose, passage function, in satin stainless steel finish, with 2-3/4" backset

1290	1912	PA	630	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Form 1290	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

1320 | Decima


LEVERS



Shown in Satin Nickel Finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Decima lever on a 1912 standard round rose, passage function, in satin stainless steel finish, with 2-3/4" backset

1320	1912	PA	630	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Decima 1320	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

1330 | Seppia

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep

Small rose system



Lever with 52 mm rose for mortise and custom tubular door prep

Escutcheon plate system

Lever with plate for mortise functions



See "Rose Options" page for available rose options



See "Escutcheon Plate Options" page for available plate options


Tubular leversets ordering example:

Seppia lever on a 1912 standard round rose, passage function, in satin stainless steel finish, with 2-3/4" backset

1330	1912	PA	630	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Seppia 1330	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

1340 | Florence


LEVERS



Shown in Polished Chrome Finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options


Tubular leversets ordering example:

Florence lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

1340	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Florence 1340	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

1350 | Adria


LEVERS



Shown in Polished Chrome Finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Adria lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

1350	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Adria 1350	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




1500 | Edge



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options
(Tubular privacy application requires use of PB70 privacy bolt)


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Edge lever on a standard square rose, passage function, in satin chrome finish with 2-3/4" backset

Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Edge 1500	SMQ (54 mm) SMQR (54 mm) SM (52 mm) 1912-Q (65 mm) 1912 (65 mm)	PA (Passage) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


1520 | Leaf



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options
(Tubular privacy application requires use of PB70 privacy bolt)


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions




See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Leaf lever on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

1520	1912	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Leaf 1520	SM (52 mm) SMQR (54 mm) 1912 (65 mm)	PA (Passage) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




1540 | Chill



Shown in Satin Chrome finish on the SMQR radiused rose

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options


Tubular leversets ordering example:

Chill lever on a radiused square rose, passage function, in satin chrome finish with 2-3/4" backset

1540	SMQR	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Chill 1540	SMQ (54 mm) SMQR (54 mm) SM (52 mm) 1912-Q (65 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

1545 | Dario

LEVERS




Lever returns to within 1/2" of door face

Shown in Satin Chrome Finish on the SMQR radiused rose

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Dario lever on a radiused square rose, passage function, in satin chrome finish, with 2-3/4" backset

1545	SMQR	PA	626	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Dario 1545	SMQ (54 mm) SMQR (54 mm) SM (52 mm) 1912 (65 mm) 1912Q (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



1550 | Chill+


LEVERS



Shown in Satin/Polished Chrome finish on the SMQR radiused rose

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Chill+ Plus lever on a radiused square rose, passage function, in satin/polished chrome finish with 2-3/4" backset

1550	SMQR	PA	US26/26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Chill+ 1550	SMQ (54 mm) SMQR (54 mm) SM (52 mm) 1912-Q (65 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



1580 | Rise


LEVERS



Shown in Satin Chrome finish on the SMQR radiused rose

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options
(Tubular privacy application requires use of PB70 privacy bolt)


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Rise lever on a radiused square rose, passage function, in satin chrome finish with 2-3/4" backset

1580	SMQR	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Rise 1580	SMQ (54 mm) SMQR (54 mm) SM (52 mm) 1912-Q (65 mm) 1912 (65 mm)	PA (Passage) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




2250 | Halley



Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Halley lever on a standard rose, passage function, in polishedchrome finish with 2-3/4" backset

2250	1912	PA	US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Halley 2250	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5000 | Alessia

LEVERS




19 mm diameter standard
 22 mm diameter also available
 Lever returns to within 1/2" of door face

Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Alessia lever on a standard rose, passage function, in satin stainless finish with 2-3/4" backset

5000	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Alessia 5000	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



5013 | Urbano


LEVERS



Shown in Bi-color Polished/Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Urbano lever on a standard rose, passage function, in polished/satin stainless finish with 2-3/4" backset

5013	1912	PA	US32/32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Urbano 5013	1912 (65 mm) 1912-76 (76 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


5019 | Band



Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Band lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

5019	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Band 5019	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



5100 | Lucia

LEVERS




19 mm diameter standard
 22 mm diameter also available
 Also available in a solid-cast version

Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Lucia lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

5100	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Lucia 5100	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5130 | Delta

LEVERS




Lever returns to within 1/2" of door face

Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions




See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Delta lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

5130	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Delta 5130	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5150 | Gamma




Lever returns to within 1/2" of door face

Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Gamma lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

5150	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Gamma 5150	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



5200 | Loft

LEVERS




19 mm diameter standard
 22 mm diameter also available
 Also available in a solid-cast version

Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Loft lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

5200	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Loft 5200	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




5219 | Misano



Shown in Satin Stainless finish


Standard rose system

Lever with 65 mm square rose for standard tubular 2-1/8" door prep




Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

See "Rose Options" page for available rose options

Tubular leversets ordering example:

Misano lever on a standard square rose, passage function, in satin stainless finish with 2-3/4" backset

5219	1912Q	PA	630	2-3/4"	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Misano 5219	SMQ (54 mm) 1912-Q (65 mm) SM (52 mm) 1912-76 (76 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5300 | Omega

LEVERS




19 mm diameter standard
22 mm diameter also available

Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Omega lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

5300	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Omega 5300	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



5350 | Raffaella


LEVERS



Shown in Pearl Chrome/Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Raffaella lever on a standard rose, passage function, in pearl/polished chrome finish with 2-3/4" backset

5350	SM	PA	PRL/US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Raffaella 5350	SM (52 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5550 | Laura


LEVERS



Shown in Pearl Chrome/Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Laura lever on a standard rose, passage function, in pearl/polished chrome finish with 2-3/4" backset

5550	SM	PA	PRL/US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Laura 5550	SM (52 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5650 | Gabriella


LEVERS



Shown in Pearl Chrome/Polished Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Gabriella lever on a standard rose, passage function, in pearl/polished chrome finish with 2-3/4" backset

5650	SM	PA	PRL/US26	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Gabriella 5650	SM (52 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5700 | Loredana


LEVERS



Shown in Bi-color Polished/Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions




See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Loredana lever on a standard rose, passage function, in polished/satin stainless with 2-3/4" backset

5700	1912	PA	US32/32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Loredana 5700	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5702 | Stefano



Lever returns to within 1/2" of door face

Shown in Satin Stainless finish

Standard rose system




Lever with 65 mm square rose for standard tubular 2-1/8" door prep

Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep

Escutcheon plate system

Lever with plate for mortise functions



See "Rose Options" page for available rose options

See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Stefano lever on a standard rose, passage function, in satin stainless finish with 2-3/4" backset

5702	1912	PA	630	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Stefano 5702	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5750 | Adina


LEVERS



Shown in Bi-color Polished/Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options


Tubular leversets ordering example:

Adina lever on a standard rose, passage function, in polished/satin stainless with 2-3/4" backset

5750	1912	PA	US32/32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Adina 5750	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5752 | Ellise

LEVERS



Lever returns to within 1/2" of door face

Shown in Satin Stainless finish

Standard rose system




Lever with 65 mm square rose for standard tubular 2-1/8" door prep

Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep

Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

See "Rose Options" page for available rose options

Tubular leversets ordering example:

Ellise lever on a standard rose, passage function, in satin stainless finish with 2-3/4" backset

5752	1912	PA	630	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Ellise 5752	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



5800 | Antonella

LEVERS



Cross-section profile is a flattened oval

Shown in Bi-color Polished/Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep

Small rose system



Lever with 52 mm rose for mortise and custom tubular door prep

Escutcheon plate system

Lever with plate for mortise functions



See "Rose Options" page for available rose options



Tubular leversets ordering example:

Antonella lever on a standard rose, passage function, in polished/satin stainless with 2-3/4" backset

5800	1912	PA	US32/32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Antonella 5800	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5804 | Maretto


LEVERS



Shown in Polished/Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Maretto lever on a standard rose, passage function, in polished/satin stainless with 2-3/4" backset

5804	1912	PA	US32/32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Maretto 5804	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5810 | Sigma

LEVERS




Lever returns to within 1/2" of door face

Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options


Tubular leversets ordering example:

Sigma lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

5810	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Sigma 5810	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5820 | Forino


LEVERS



Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Forino lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

5820	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Forino 5820	SMQ (54 mm) SMQR (54 mm) SM (52 mm) 1912-Q (65 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5850 | Christina



Cross-section profile is a flattened oval tilted away from the door

Shown in Bi-color Polished/Satin Stainless finish

Standard rose system




Lever with 65 mm rose for standard tubular 2-1/8" door prep

Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep

Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

See "Rose Options" page for available rose options

Tubular leversets ordering example:

Christina lever on a standard rose, passage function, in polished/satin stainless with 2-3/4" backset

5850	1912	PA	US32/32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Christina 5850	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

5855 | Sophia

LEVERS




Cross-section profile is a flattened oval tilted away from the door

Shown in Polished Stainless finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Sophia lever on a standard rose, passage function, in polished stainless finish with 2-3/4" backset

5855	1912	PA	629	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Sophia 5855	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6118 | Lorenzo


LEVERS



Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Lorenzo lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

6118	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Lorenzo 6118	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6170 Arcos

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Arcos lever on a 52mm small round rose, passage function, in satin chrome finish, with 2-3/4" backset

6170	SM	PA	626	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Arcos 6170	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6202 | Decora


LEVERS



Shown in Satin Brass finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Decora lever on a standard rose, passage function, in satin brass finish with 2-3/4" backset

6202	1912	PA	606	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Decora 6202	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6208 | Esago



Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 54 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Esago lever on a standard square rose, passage function, in polished chrome finish with 2-3/4" backset

6208	1912Q	PA	625	2-3/4"	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Esago 6208	SMQ (54 mm) 1912-Q (65 mm) SM (52 mm) 1912-76 (76 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6210 | Base

LEVERS




Lever returns to within 1/2" of door face

Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Base lever on a small rose, passage function, in satin chrome finish with 2-3/4" backset

6210	SM	PA	US26D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Base 6210	1912Q (65 mm) 1912 (65 mm) SMQ (54 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6215 | Valenza


LEVERS



Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Valenza lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

6215	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Valenza 6215	SMQ (54 mm) SMQR (54 mm) SM (52 mm) 1912-Q (65 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6218 | Simpla


LEVERS



Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options


Tubular leversets ordering example:

Simpla lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

6218	1912	PA	US32D	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Simpla 6218	SMQ (54 mm) SMQR (54 mm) SM (52 mm) 1912-Q (65 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



6220 | Kappa



Lever returns to within 1/2" of door face

Shown in Polished Stainless finish

Standard rose system




Lever with 65 mm square rose for standard tubular 2-1/8" door prep

Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep

Escutcheon plate system

Lever with plate for mortise functions



See "Rose Options" page for available rose options



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Kappa lever on a standard rose, passage function, in satin polished finish with 2-3/4" backset

6220	1912-Q	PA	629	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Kappa 6220	SMQ (54 mm) SMQR (54 mm) SM (52 mm) 1912-Q (65 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6230 | Tau



Lever returns to within 1/2" of door face

Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep

Small rose system



Lever with 52 mm rose for mortise and custom tubular door prep

Escutcheon plate system

Lever with plate for mortise functions



See "Rose Options" page for available rose options



Tubular leversets ordering example:

Tau lever on a standard rose, passage function, in satin satin finish with 2-3/4" backset

6230	1912-Q	PA	629	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Tau 6230	SMQ (54 mm) SMQR (54 mm) SM (52 mm) 1912-Q (65 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6269 | Nicolo


LEVERS



Shown in Satin Stainless Steel

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Nicolo lever on a standard rose, passage function, in satin stainless with 2-3/4" backset

6269	1912	PA	630	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Nicolo 6269	SM (52mm) SMQ (54mm) 1912 (65mm) 1912Q (65mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6280 | Vienna


LEVERS



Shown Polished Brass finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Vienna lever on a standard rose, passage function, in polished/satin stainless with 2-3/4" backset

6280	1912	PA	US3	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Vienna 6280	1905 (65 mm) 1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6353 | Marta




*Grip is an oval shape

Shown in Satin Stainless Finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Marta lever on a 1912 standard round rose, passage function, in satin stainless steel finish, with 2-3/4" backset

6353	1912	PA	630	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Marta 6353	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6447 | Savio

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Savio lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6447	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Savio 6447	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6502 | Brio




Lever returns to within 1/2" of door face
*Grip is an oval shape

Shown in Satin Stainless Finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Brio lever on a 1912 standard round rose, passage function, in satin stainless steel finish, with 2-3/4" backset

6502	1912	PA	630	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Brio 6502	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6507 | Lido

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Lido lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6507	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Lido 6507	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6541 | Vela

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Vela lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6541	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Vela 6541	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6587 | Tacta



Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Tacta lever on a standard rose, passage function, in satin stainless finish with 2-3/4" backset

6587	1912	PA	630	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Tacta 6587	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6592 | Cutlass


LEVERS



Shown in Satin Stainless finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Cutlass lever on a standard rose, passage function, in satin stainless finish with 2-3/4" backset

6592	1912	PA	630	2-3/4"	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Cutlass 6592	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6594 | Modulo B



Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Modulo B lever on a standard rose, passage function, in polished chrome finish with 2-3/4" backset

6594	1912	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Modulo B 6594	1903 (65 mm) 1905 (65 mm) 1912 (65 mm) SM (52 mm)m	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6605 | Textura



Shown in Polished Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Textura lever on a standard rose, passage function, in polished chome finish with 2-3/4" backset

6605	1912	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Textura 6605	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6606 Franca

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Franca lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6606	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Franca 6606	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




6612 | Marco



Shown in Polished Stainless finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options


Tubular leversets ordering example:

Marco lever on a standard rose, passage function, in polished stainless finish with 2-3/4" backset

6612	1912	PA	629	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Marco 6612	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




6701 | Eletta



Shown in Polished Chrome

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions




See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Eletta lever on a standard rose, passage function, in polished chrome with 2-3/4" backset

6701	1912	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Eletta 6701	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6707 | Luca



Shown in Polished Chrome

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Luca lever on a standard rose, passage function, in polished chrome with 2-3/4" backset

6707	1912	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Luca 6707	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6710 | Mira



LEVERS

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Mira lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6710	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Mira 6710	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6711 | Pier

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Pier lever on a small round rose, passage function, in satin chrome finish, with 2-3/4" backset

6711	SM	PA	626	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Pier 6711	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm) SME (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



6713 | Daniela

LEVERS




Cross-section profile is an oval oriented vertically.

Shown in Polished Stainless finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Daniela lever on a standard rose, passage function, in polished stainless finish with 2-3/4" backset

6713	1912	PA	629	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Daniela 6713	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



6719 | Corso



Lever returns to within 1/2" of door face

Shown with an SMT Small Traditional Rose

Standard rose system




Lever with 65 mm rose for standard tubular 2-1/8" door prep

Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep

Escutcheon plate system

Lever with plate for mortise functions



See "Rose Options" page for available rose options


Tubular leversets ordering example:

Corso lever on a small traditional rose, passage function, in polished chrome with 2-3/4" backset

6719	SMT	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Corso 6719	1905 (65 mm) SM (52 mm) SMT (58 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6724 | Chiara


LEVERS



Shown in Polished Chrome

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Chiara lever on a standard rose, passage function, in polished chrome with 2-3/4" backset

6724	1912	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Chiara 6724	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6760 | Hathaway

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options


Tubular leversets ordering example:

Hathaway lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6760	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Hathaway 6760	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	



6744 | Modulo C




LEVERS

Shown in Polished Stainless finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Modulo C lever on a standard rose, passage function, in polished stainless finish with 2-3/4" backset

6744	1912	PA	629	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Modulo C 6744	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	




6773 | Cielo



Shown in Satin Stainless Finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Cielo lever on a 1912 standard round rose, passage function, in satin stainless steel finish, with 2-3/4" backset

6773	1912	PA	630	2-3/4"	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Cielo 6773	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6778 | Zeta



Lever returns to within 1/2" of door face

Shown in Satin Stainless Finish

Standard rose system




Lever with 65 mm rose for standard tubular 2-1/8" door prep

Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep

Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

See "Rose Options" page for available rose options

Tubular leversets ordering example:

Zeta lever on a 1912 standard round rose, passage function, in satin stainless steel finish, with 2-3/4" backset

6778	1912	PA	630	2-3/4"	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Zeta 6778	1905 (65 mm) 1912 (65 mm) SM (52 mm) SMT (58 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6781 | Ambra



Shown in Satin Stainless Finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Ambra lever on a 1912 standard round rose, passage function, in satin stainless steel finish, with 2-3/4" backset

6773	1912	PA	630	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Ambra 6781	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6810 | Alta

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Alta lever on a small round rose, passage function, in satin chrome finish, with 2-3/4" backset


6810	SM	PA	626	2-3/4"	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Alta 6810	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm) SME (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6816 | Barga



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Barga lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset


6816	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Barga 6816	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6822 | Rhombus



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Rhombus lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6822	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Rhombus 6822	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6836 | Ancona

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Ancona lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6836	SM	PA	625	2-3/4"	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Ancona 6836	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6843 | Acton

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Acton lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6843	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Acton 6843	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6872 | Atlantis

LEVERS




Standard rose system

Lever with 65 mm rose for standard tubular 2-1/8" door prep




Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

See "Rose Options" page for available rose options

Tubular leversets ordering example:

Atlantis lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6872	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Atlantis 6872	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6873 | Prato

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



Tubular leversets ordering example:

Prato lever on a small ellipse rose, passage function, in polished chrome finish, with 2-3/4" backset

6873	SME	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Prato 6873	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm) SME (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6880 | Arta

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Arta lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6880	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Arta 6880	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6881 | Enterprise

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Enterprise lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6881	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Enterprise 6881	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6891 | Marino

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options


Tubular leversets ordering example:

Marino lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6891	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Marino 6891	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6895 | Sirolo

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Sirolo lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset


6895	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Sirolo 6895	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

6929 | Tivoli




Standard rose system

Lever with 65 mm rose for standard tubular 2-1/8" door prep




Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

See "Rose Options" page for available rose options

Tubular leversets ordering example:

Tivoli lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6929	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Tivoli 6929	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6947 | Sutton

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Sutton lever on a small traditional rose, passage function, in polished chrome finish, with 2-3/4" backset

6947	SMT	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Sutton 6947	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm) SMT (58 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6949 | Waverly

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Waverly lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6949	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Waverly 6949	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6964 | Avola

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Avola lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6964	SM	PA	625	2-3/4"	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Avola 6964	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6967 | Larissa

LEVERS



Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Larissa lever on a 52mm small round rose, passage function, in polished chrome finish, with 2-3/4" backset

6967	SM	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Larissa 6967	1912 (65 mm) 1912Q (65 mm) SM (52 mm) SMQ (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

507 | Solero


KNOBS



Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular knob sets ordering example:

Solero knob on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

507	1912	PA	US26D	2-3/4	
Knob design	Rose/Plate	Function	Finish	Backset	Misc.
Solero 507	1912 (65 mm) SM (52 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

755 | Quadra

KNOBS




- Matching items available:
- 620 Tuke lever
 - SQ Series sliding door trim
 - 543 door stop
 - 5041 Siena door pull

Shown in Satin Chrome finish

Standard rose system


Lever with 65 mm square rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm square rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options


Tubular knob sets ordering example:

Quadra knob on a standard rose, passage function, in satin chrome finish with 2-3/4" backset

755	1912Q	PA	US26D	2-3/4	
Knob design	Rose/Plate	Function	Finish	Backset	Misc.
Quadra 755	1912Q (65 mm) 1912 (65 mm) SMQ (54 mm square)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	Also available as fixed door pull

788 | Cortona

KNOBS



Available in two diameters:

Shown in Polished Chrome finish

Standard rose system




Lever with 65 mm rose for standard tubular 2-1/8" door prep

Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep

Escutcheon plate system

Lever with plate for mortise functions



See "Rose Options" page for available rose options

See "Escutcheon Plate Options" page for available plate options

Tubular knob sets ordering example:

Cortona knob on a standard rose, passage function, in polished chrome finish with 2-3/4" backset

788-60	1912	PA	US26	2-3/4	
Knob design	Rose/Plate	Function	Finish	Backset	Misc.
Cortona 788	1903 (65 mm)	PA (Passage)	Per project specification	2-3/8" 2-3/4"	
788-60 (60 mm)	1912 (65 mm)	PY (Privacy)			
788-70 (70 mm)		FD (Full Dummy)			
(Dummy Trim Only—70mm)		SD (Single Dummy)			

1025 | Polaris


KNOBS



Shown in Antique Nickel finish

Standard rose system


Lever with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Lever with 52 mm rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular knob sets ordering example:

Polaris knob on a standard rose, passage function, in antique nickel finish with 2-3/4" backset

1025	1905	PA	US15A	2-3/4	
Knob design	Rose/Plate	Function	Finish	Backset	Misc.
Polaris 1025	1903 (65 mm) 1905 (65 mm) 1912 (65 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	


6715 | Octaga



Shown in Polished Chrome finish

Standard rose system


Knob with 65 mm rose for standard tubular 2-1/8" door prep



See "Rose Options" page for available rose options


Small rose system

Knob with 60 mm octagonal rose for mortise and custom tubular door prep



Escutcheon plate system

Lever with plate for mortise functions



See "Escutcheon Plate Options" page for available plate options

Tubular leversets ordering example:

Octaga knob on a octagonal rose, passage function, in polished chrome finish with 2-3/4" backset

6715	SMO	PA	625	2-3/4	
Lever design	Rose/Plate	Function	Finish	Backset	Misc.
Octaga 6715	1912 (65 mm) SM (52 mm) SMO (60 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	

DPA4134 | Star

DPE1016 | Easy





Matching item available: 110 Star lever

Matching items available: 200 Easy lever and 760 Easy knob



DPA4134 Single Pull

DPA4134 Back-to-Back Pull Set



DPE1016 Single Pull

DPE1016 Back-to-Back Pull Set



DPE1017 | Fenice

DPE1018 | Pavone





Matching item available: Lever upon request

Matching item available: Lever upon request



DPE1017 Single Pull

DPE1017 Back-to-Back Pull Set



DPE1018 Single Pull

DPE1018 Back-to-Back Pull Set



DPE4026 | Kale

DPE7011 | Attila



PULLS




Matching item available: 650 Kalé lever

DPE4026 Single Pull

DPE4026 Back-to-Back Pull Set



DPE7011 Single Pull





DPA4135 | Modulo

DPC4024 | Verano





Matching item available: 745 Modulo L lever

Matching item available: 813 Verano lever



DPA4135 Single Pull

DPA4135 Back-to-Back Pull Set



DPC4024 Single Pull

DPC4024 Back-to-Back Pull Set



DPA4136 Trento

DPE1020 Siena





Grip surface is Stainless Steel
Matching item available: 939 Allegra lever

Matching item available: 620 Tuke lever



DPA4136 Single Pull

DPA4136 Back-to-Back Pull Set



DPE1020 Single Pull

DPE1020 Back-to-Back Pull Set




DPC4021 | Join

PULLS




Grip is machined acrylic and different colors are available.
 Matching item available: 925 Join lever

DPC421 Single Pull



DPC421 Back-to-Back Pull Set






DPE7012 | Arpa

PULLS




Matching item available:
• 300 Laguna lever

DPE7012 Single Pull



DPE7012 Back-to-Back Pull Set



LDP1 Locking Pull

PULLS



Features

- Heavy duty stainless steel construction
- Key operated from exterior; turnknob from interior
- Accomodates door thickness 8–19mm range
- 16mm steel deadbolt with 32mm throw
- Floor locking standard, head and dual locking available
- Bolt location: 64mm from face of door to centerline of bolt
- Available in SFIC, side-bitted, or standard SC cylinder options



Item	B	A
LDP1-1200	925mm	1200mm
LDP1-1500	1250mm	1500mm

Item	C	B	A
LDP1-1800	925mm	725mm	1800mm
LDP1-2000	925mm	925mm	2000mm
LDP1-2400	1175mm	1075mm	2400mm



Mounting Trim

Rose Options



1903 Contemporary Rose
65 mm (2-9/16")
For standard tubular 2-1/8" door prep



1905 Traditional Rose
65 mm (2-9/16")
For standard tubular 2-1/8" door prep



SMT Small Traditional Rose
58 mm (2-1/4")
For mortise and custom tubular door prep



SM Small Rose
52 mm (2")
For mortise and custom tubular door prep
Available in stainless and all other finishes



SMO Small Octagonal Rose
60 mm (2-5/16")
For mortise and custom tubular door prep



1912 Smooth Rose
65 mm (2-9/16")
For standard tubular 2-1/8" door prep
Available in stainless and all other finishes

1976 Smooth Retrofit Rose
Larger size to cover previous oversized door preps
76 mm (3")
For standard tubular 2-1/8" door prep
Available in stainless and all other finishes



1912Q Square Rose
65 mm (2-9/16")
For standard tubular 2-1/8" door prep
Available in stainless and all other finishes




SMQ Small Square Rose
54 mm (2")
For mortise and custom tubular door prep
Available in stainless and all other finishes



SMQR Small Radiused Square Rose
54 mm (2")
For mortise and custom tubular door prep
Available in stainless and all other finishes

Plate Options

PLATE OPTIONS



Inch measurements converted from metric are approximate.

Sample combinations of Mortise Lock Trim



745 Modulo L lever on an
17010 Livorno plate



110 Apollo lever on an
12010 Pallas plate



900 Stella lever on an
11010 Fairfax plate



270 Metro lever on an
18010 Riviera plate




941 Lesina lever on an
SM small rose

Euro Profile Systems


All Frascio lever designs are available for use with Euro-style locks, mounting systems, and cylinders. Shown below is a sampling of the plate and cylinder rosette options offered. Additional designs are available upon request.

Please contact Frascio International and let us assist you with your specific needs.


Profile Cylinder Plates



620 Tuke lever on P1 Afrodite plate



939 Allegra lever on P2 Goliath plate



1023 Ursa lever on P3 Sesam plate


Euro profile mortise locks are available with a variety of functions and sizes, based on your application requirements.

Profile cylinders are available in Key x Turnknob, Key x Key, and Single-key configurations. Various lengths are available to accommodate a full range of door thicknesses.



Profile Cylinder Rosettes

(cylinder escutcheons) for use with lever on rose trim



Operating Mechanisms

T600 Tubular Latchset


for 2-1/8" Bored-Hole Application




Frascio's T600 latchset is designed for maximum reliability, use with standard door prep, and easy time-saving installation — a proven favorite of designers everywhere.

A beautiful lever trim set needs a mechanical system that allows it to perform flawlessly for years. Frascio's T600 tubular lever sets deliver outstanding performance every time due to its unique heavy duty interlocking backplate system.

Superior features and benefits of our T600 interlocking backplate



- 1 **Cast-in latch stabilizing legs** connect with latch body to provide stability
- 2 **Solid spring-loaded hubs** provide excellent lever support
- 3 **Interlocking legs** allow easy self-guiding throughbolt installation
- 4 **Cast in grip texture** provides tight surface grip and resists rotation
- 5 **Durable rubber o-ring** attaches securely to large format roses
- 6 **Solid cast body** provides sturdy mounting for roses



Dimensions are approximate and for reference only. Please refer to Frascio template.



T600 Specifications	
Application	Residential and hospitality interior doors requiring passage, privacy, communicating, and dummy trim functions
Material	Brass, stainless steel, and die cast zinc levers and roses. Latch faceplates and strikes stainless steel
Backset	2-3/8" (60mm) and 2-3/4" (70mm)
Handing	Non-handed trim set. Latchbolt handing and bevel is field reversible
Door Thickness Range	1-3/8" (35mm) to 2" (51mm); thick door parts kit available
Door Preparation	2-1/8" Bored Hole — refer to door prep template for specifics. ANSI 160 or ANSI 161
Faceplate	1" x 2-1/4" square corner standard; 1-1/8" wide option available
Strike	1-1/8" x 2-3/4" T Strike with 1-1/8" lip standard; Full Lip Strike, 1/4" Radius Full Lip Strike and ASA Strike options available

Complies with ANSI Grade 2 cycle testing requirements.

T600 Series Rose Options — Fully interchangeable within the T600 Series



1903 Contemporary Rose
65 mm (2-9/16")



1905 Traditional Rose
63 mm (2-1/2")




1912 Smooth Rose
63 mm (2-1/2")

1912-76 Smooth Retrofit Rose
76 mm (3")
Larger size to cover previous oversized door preps



1912Q Square Rose
65 mm (2-9/16")



1912QE Rectangular Extended Rose
65 mm (2-9/16") x 102 mm (4")

T600 Function Chart

Function Code Number	Illustration Outside ◀ ▶ Inside	Function/Description	ANSI Number
PA		Passage Latchbolt retracted by lever from either side at all times	F75
PY		Privacy Latchbolt retracted by lever from either side, unless outside is locked by inside pushbutton. Turning inside lever or closing door unlocks outside lever. To unlock from outside, insert emergency tool into privacy access hole in rose.	F76A
CPABP		Communicating Passage for Blind Prep (no plate) Latchbolt retracted by inside lever. No trim or cover plate on outside.	F111
CPACP		Communicating Passage with Cover Plate Latchbolt retracted by inside lever. Blank cover plate on outside.	F111
SD (SD-TB)		Single Dummy Surface mounted Single Dummy Through bolt mounted to back side	
FD (FD-TB)		Full Dummy Surface mounted Full Dummy Through bolt mounted	

T600 tubular leverset ordering example:

Sweep lever on a 1912Q standard square rose, passage function, in polished chrome finish, 2-3/4" backset

720	1912Q	PA	625	2-3/4	1SC	TSTK1	
Lever design	Rose/Plate	Function	Finish	Backset	Latch	Strike	Misc.
Sweep 720	1912 (65 mm) 1903 (65 mm) 1905 (65 mm) 1912Q (65 mm) 1912-76 (76 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	1SC Standard Commercial Latch (L701)	TSTK1 Standard T-Strike	

T700 Tubular Latchset


for Custom Small Bored-Hole Application




The Frascio T700 is an innovative small rose trim solution matching the tubular latchsets' appearance with mortise locks — when elegance and continuity matter.

T700 lever sets provide the optimal combination of elegant aesthetics and outstanding commercial-grade performance. The T700 utilizes the same rose mounting backplate system and rose platform as we use for ANSI Grade 1 mortise trim. Unparalleled mechanical performance and virtually unlimited decorative design option capability are sure to please.

Superior features and benefits of our innovative T700 mounting backplate



- 1 **Innovative rose mounting system** securely attaches rose to door. Exceeds ANSI Grade 1 axial pull resistance (Provides secure side option if desired)
- 2 **Solid cast body** provides sturdy mounting for a variety of rose shapes and sizes in the series
- 3 **Solid spring-loaded spindle hubs** provide excellent lever support
- 4 **Durable steel throughbolt post system** provides commercial strength as well as flexibility for door thickness variation
- 5 **Innovative concealed fastener system** eliminates need for multi-piece roses and posts that can be removed or tampered with



Dimensions are approximate and for reference only. Please refer to Frascio templates.



T700 Specifications	
Application	Residential and hospitality interior doors requiring passage, privacy, communicating, and dummy trim functions
Material	Brass, stainless steel, and die cast zinc levers and roses. Latch faceplates and strikes stainless steel
Backset	2-3/8" (60mm) and 2-3/4" (70mm)
Handing	Non-handed trim set. Latchbolt handing and bevel is field reversible
Door Thickness Range	1-3/8" (35mm) to 2" (51mm); thick door parts kit available
Door Preparation	Custom small hole door drilling required — refer to door prep templates for specifics
Faceplate	1" x 2-1/4" square corner standard; 1-1/8" wide option available
Strike	1-1/8" x 2-3/4" T Strike with 1-1/8" lip standard; Full Lip Strike, 1/4" Radius Full Lip Strike and ASA Strike options available

Complies with ANSI Grade 2 cycle testing requirements.

T700 Series Rose Options — Fully interchangeable within the T700 Series



SMT Small Traditional Rose
58 mm (2-1/4")




SM Small Rose
52 mm (2")
SM-58 Small Retrofit Rose
58 mm (2-1/4")



SMQ Small Square Rose
54 mm (2")



SMQR Small Radiused Square Rose
54 mm (2")



SMQE Small Rectangular Rose
54 mm (2-1/8") x
77 mm (3")

T700 Function Chart

Function Code Number	Illustration Outside - - Inside	Function/Description	ANSI Number
PA		Passage Latchbolt retracted by lever from either side at all times	F75
PY		Privacy Latchbolt retracted by lever from either side, unless outside is locked by inside pushbutton. Turning inside lever or closing door unlocks outside lever. To unlock from outside, insert emergency tool into privacy access hole in rose.	F76A
CPABP		Communicating Passage for Blind Prep (no plate) Latchbolt retracted by inside lever. No trim or cover plate on outside.	F111
CPACP		Communicating Passage with Cover Plate Latchbolt retracted by inside lever. Blank cover plate on outside.	F111
SD (SD-TB)		Single Dummy Surface mounted Single Dummy Through bolt mounted to back side	
FD (FD-TB)		Full Dummy Surface mounted Full Dummy Through bolt mounted	

T700 tubular leverset ordering example:

Kuma lever on a small rose, passage function, in brushed satin chrome finish, 2-3/4" backset


Lever design	Rose/Plate	Function	Finish	Backset	Latch	Strike	Misc.
640	SM	PA	626	2-3/4	1SC	TSTK1	
Kuma 640	SM (52 mm) SMT (58 mm) SMO (60 mm) SMQ (54 mm) SMQR (54 mm)	PA (Passage) PY (Privacy) FD (Full Dummy) SD (Single Dummy)	Per project specification	2-3/8" 2-3/4"	1SC Standard Commercial Latch (L701)	TSTK1 Standard T-Strike	

Latch and Strike Options

Frascio offers a variety of tubular latch and strike options, available for use on both the T600 Series standard bore and T700 Series small bore latchsets.

Standard Frascio passage and privacy spring latches

- Durable cast latch housing
- Solid brass latch bolt
- Non-handed
- Exceed cycle test requirements for Grade 2 certification
- Available in 2-3/8" (60mm) and 2-3/4" (70mm) backsets




- 1 Heavy-duty springs** provide robust strength and prevent lever sag
- 2 1-piece cast latch case and mounting flange** provides superior strength, stability, and durability
- 3 Stainless steel plunger shoulder rod** cannot come disengaged from retractor
- 4 Separate stainless steel lever hubs** allows independent operation of interior and exterior sides
- 5 Stainless steel retractor** ensures smooth, reliable operation
- 6 Stainless steel cam follower** creates positive stop for retractor and hubs
- 7 Integrated interlocking design** casting design connects with Frascio Interlocking Backplate to provide exceptional stability and resistance to operating torque

Strike options


TSTK1

T-Strike (standard)*




TSTK2

Full Lip, 1/4" Radius Corner Strike




TSTK3

ANSI Prep Strike




TSTK4

Full Lip Square Corner Strike




*Latches are automatically provided with TSTK1 T-strike and strike box, unless otherwise specified.




1SC Series Latch (Commercial Grade)

Ideal for hospitality/light commercial
Heavy duty performance, 28° retraction




HL Series Latch (Medium Grade)

Ideal for multi-family/condominiums
Durable performance, 28° retraction



RL Series (Residential Grade)

Ideal for multi-family/apartments
Standard duty, value driven




Line art dimensions are approximate and for reference purposes only.

M500 Series Mortise Locks

OPERATING MECH

- 1 Deadbolt**
1" (25mm) throw stainless steel deadbolt provides rugged security
- 2 Latchbolt**
Full 3/4" (19mm) throw standard
- 3 Anti-Friction Tongue**
reduces wear and tear and ensures smooth engagement with strike
- 4 Deadlocking Auxiliary Latch**
Non-handed deadlocking bar prevents latch tampering by blocking latch retraction when depressed
- 5 Stop Buttons**
for flexible entrance function configuration
- 6 Armor Front**
Adjustable for door bevel. Available in brass and stainless steel material
- 7 Backset Options**
2-3/4" (70mm) standard, also available in 2-1/2" (63.5mm) for narrow backset applications
- 8 Steel Components**
Steel case and internal parts corrosion protected for longevity and smooth operation



Specifications	
Applications	For commercial buildings where the finest mortise locks are required
Certifications	ANSI A156.13 Series 1000, Grade 1 operational. UL Listed for 3-Hour fire rating
Case Size	4-5/16" x 6" x 1" (110 mm x 152 mm x 25 mm)
Armor Front	1-1/4" x 8" x 7/32" (32 mm x 203 mm x 5 mm)
Backset	2-3/4" (70 mm) and 2-1/2" (63.5 mm)
Door Preparation	Conforms to ANSI A115.1
Door Range	1-3/8" (35mm) to 2-1/2" (64 mm) steel door, 1-3/4" (45mm) to 2-1/2" (64mm) wood door
Beveled Doors	Self-adjusting case
Case Handing	Field reversible without removing case
Strike	Curved lip non-handed. Custom lip lengths at 1/8" (3 mm) increments available
Spindles	Breakable to prevent the lock case from unlocking or being damaged

Cover photo features M520 Entrance Function with Frascio 900 Stella/SM decorative trim in 625/630 finish.

M500 Series Function Chart




Function Code Number	Illustration Outside ◀ ▶ Inside	Function/Description	ANSI Number
Keyed Functions Without Deadbolt			
M504		Office and Inner Entry Lock Latchbolt retracted by knob/lever from either side unless outside is made inoperative by key outside or by pushing button on edge of door. When outside is locked, latchbolt is retracted by key outside or by knob/lever inside. Outside knob/lever remains locked until other button on edge of door is pushed or unlocked by key. Auxiliary latch deadlocks latchbolt when door is closed.	F04
M505		Classroom Lock Latchbolt retracted by knob/lever from either side unless outside is locked by key. Unlocked from outside by key. Inside knob/lever always free for immediate exit. Auxiliary latch deadlocks latchbolt when door is closed.	F05
M507		Storeroom Lock Latchbolt retracted by key outside or by knob/lever inside. Outside knob/lever always inoperative. Auxiliary latch deadlocks latchbolt when door is closed.	F07
M509		Apartment Entrance Lock* Latchbolt retracted by knob/lever from either side unless outside is locked by key from inside. When locked, latchbolt retracted by key outside or knob/lever inside. Auxiliary latch deadlocks latchbolt when door is closed.	F09
M556		Office Lock with Automatic Unlocking Latchbolt retracted by lever from either side unless outside is made rigid by key outside or turnknob inside. Outside lever unlocked by key outside, turnknob, or closing door. Rotating inside lever simultaneously retracts latchbolt and unlocks outside lever. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always unlocked.	
M571		Classroom Security Lock* Latchbolt retracted by lever from either side unless outside is locked by key from either side. When in locked state, latchbolt retracted by key outside or lever inside. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always unlocked.	
Keyed Functions With Deadbolt			
M521		Bedroom/Dormitory Lock Latchbolt retracted by lever from either side. Deadbolt extended or retracted by key outside or turnknob inside.	F21
M520 (Standard)		Entrance Lock Latchbolt retracted by knob/lever from either side unless outside is locked by pushing button on edge of door. Deadbolt thrown or retracted by 90 rotation of thumbturn. When locked, key outside or knob/lever inside retracts deadbolt and latchbolt simultaneously. Outside knob/lever remains locked until other button on edge of door is pushed. Throwing deadbolt automatically locks outside knob/lever. Auxiliary latch deadlocks latchbolt when door is closed.	F20
M514		Store/Utility Room Lock* Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key from either side.	F14

*Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

M500 Series Function Chart (continued)

Function Code Number	Illustration Outside ◀ ▶ Inside	Function/Description	ANSI Number
Keyed Functions With Deadbolt (continued)			
M513		Corridor Lock Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key outside or inside thumbturn. Throwing deadbolt locks outside knob/lever. Turning inside knob/lever simultaneously retracts deadbolt and latchbolt and unlocks outside knob/lever.	F13
M557		Classroom Security Lock with Deadbolt Latchbolt retracted by lever from either side. Deadbolt extended or retracted by key from either side. Extending deadbolt locks outside lever. Rotating inside lever simultaneously retracts deadbolt and latchbolt, and unlocks outside lever. Inside lever is always unlocked.	
M527		Privacy with Occupied Indicator, Cylinder, and Deadbolt Latchbolt retracted by lever from either side. Deadbolt extended or retracted by inside turnknob or cylinder outside. Extending deadbolt locks outside lever and displays locked red indicator. Rotating inside lever simultaneously retracts deadbolt and latchbolt and unlocks outside lever.	
Non-Keyed Functions Without Deadbolt			
M522		Bath/Bedroom Privacy Lock Latchbolt retracted by knob/lever from either side unless outside is locked by inside thumbturn. Turning inside knob/lever or closing door unlocks outside knob/lever. To unlock from outside, insert emergency turn (furnished) in access hole and rotate.	F22
M523		Privacy with Coin Turn Outside Latchbolt operated by lever from either side unless outside is locked by turnknob inside or outside coin turn. Operating inside lever, closing door, or rotating turnknob unlocks outside lever.	
M501		Passage Latch Latchbolt retracted by knob/lever from either side at all times.	F01
Non-Keyed Functions With Deadbolt			
M519		Privacy with Deadbolt Latchbolt retracted by lever from either side. Deadbolt extended or retracted by turnknob inside. Extending deadbolt locks outside lever. Rotating inside lever simultaneously retracts deadbolt and latchbolt and unlocks outside lever. To unlock from outside, insert emergency key into outside privacy hole and rotate.	F19
M526		Privacy with Deadbolt and Coin Turn Outside Latchbolt retracted by lever from either side. Deadbolt extended or retracted by inside turnknob or outside coin turn. Extending deadbolt locks outside lever. Rotating inside lever simultaneously retracts deadbolt and latchbolt and unlocks outside lever.	
Keyed and Non-Keyed Function Deadlocks			
M518		Cylinder Lock Deadbolt operated by key from one side. No trim on opposing side.	F18
M517		Cylinder and Thumbturn Lock Deadbolt operated by key outside or turnknob inside.	F17

M500 Series Function Chart (continued)

Function Code Number	Illustration Outside ◀ ▶ Inside	Function/Description	ANSI Number
Keyed and Non-Keyed Function Deadlocks (continued)			
M516		Double Cylinder Lock* Deadbolt operated by key from either side.	F16
M529		Classroom Deadlock Deadbolt extended or retracted by key from outside. Inside turnknob cylinder retracts deadbolt but can not extend it.	F29
M571		Privacy Deadlock Deadbolt operated by coin release outside or turnknob inside.	
Electrified Functions			
M507EU		Electrically Unlocked (Fail Secure) Outside lever continuously locked by 12 or 24 VDC. Latchbolt retracted by key outside or lever inside. Switch or power failure allows outside lever to retract latchbolt. Deadlocking bar deadlocks latchbolt when door is closed. Inside lever is always unlocked.	
M507EL		Electrically Locked (Fail Safe) Outside lever continuously locked by either 12 or 24 VDC (Specified) Latchbolt retracted by key outside or lever inside. Switch or power failure allows outside lever to retract latchbolt. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever is always unlocked.	
M513EU		Outside Lever Continuously Locked Outside lever unlocked by 12 or 24 VDC. Deadbolt operated by key outside or thumbturn inside. Inside lever is always unlocked. Operating inside lever simultaneously retracts deadbolt and latchbolt.	

***Caution:** Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

M500 Mortise Lock Ordering Example


900 Stella lever on a sectional rose, in polished chrome and satin stainless, with 2-3/4" backset, office function lock.

900	SM	M504	625/630	RH	2-3/4"
Lever design	Rose/Plate	Mortise function	Finish	Door handing	Backset
Stella 900	SM sectional rose trim 11010 Fairfax plate 12010 Pallas plate 17010 Livorno plate 18010 Riviera plate	Refer to M500 series function chart	Per project specification	RH RHRB LH LHRB	

Mortise Lock Systems

Mortise Cylinders

Frascio mortise lock systems are provided standard with a solid brass mortise cylinder designed for optimal operation in our mortise locks. Schlage C keyway and 6-pin configuration provides thousands of combinations. Master-keyed systems are available upon request. Contact us for specific details.



- 1-1/4" (32 mm) cylinder length is typical for standard door thickness and trim design
- Actual cylinder length required will be determined upon consultation or at time of order

Standard SC Mortise Cylinder



Frascio Large-Bow Key



Frascio large-bow keys are provided for easy use and smooth operation

Optional SFIC Cylinder Housing



Upon request, small format interchangeable core (SFIC) cylinder housings designed to fit Frascio mortises are also available

GVRO Occupancy Indicator



For use with privacy function locks with sectional trim where a visual indication of occupancy status is desired and a cylinder is being used. Green reads "Vacant" and Red reads "Occupied".

Requires a 1-3/8" (35mm) cylinder for 1-3/4" (44mm) doors. Specify finish when ordering separately.

Mortise Leversets ordering example::


745 Modulo L lever on a sectional rose, in satin stainless, with 2-3/4" backset, office function lock.

745	SM	M1004	630	RH	2-3/4"
Lever design	Rose/Plate	Mortise Function	Finish	Door Handing	Backset
Modulo 745	SM sectional rose trim 11010 Fairfax plate 12010 Pallas plate 17010 Livorno plate 18010 Riviera plate	Refer to M1000 series function chart	Per project specification	RH RHRB LH LHRB	

Auxiliary Lock Systems

Mortise Dead Lock

AUXILIARY LOCKS



Specifications:

Certifications: ANSI A156.5, Grade 1, UL Listed for 3-Hour fire rating
Door Thickness: 1-3/4" to 2-1/2", thick door configurations available
Deadbolt: 1" (25mm) Projection, stainless steel
Backset: 2-3/4" (70mm)

Function Code	Lockcase Function	Illustration Inside ◀ ▶ Outside	Operation
MD1	CYLINDER x THUMBTURN		Deadbolt thrown or retracted by key outside or thumbturn inside.
MD2	CLASSROOM		Deadbolt thrown or retracted by key from outside. Inside thumbturn cylinder retracts deadbolt but cannot project it.
MD3	DOUBLE CYLINDER		Deadbolt operated by key from either side.
MD4	PRIVACY		Deadbolt thrown or retracted by thumbturn from one side. Coin release on other side.
MD5	CYLINDER LOCK		Deadbolt thrown or retracted by key from one side. No trim on other side.

Auxiliary Privacy Bolt

Non-Keyed Trim

Turnknob Design Options



M61 Round
Smooth Rose



M61-Q Round
Square Rose



RM61-Q
Rectangular
Square Rose



A51 Oval



H41
Accessibility



R71
Accessibility



R71-Q
Accessibility
Square Rose



Emergency Release Options



EMT



EMTI
with color
indicator window



EMTI-V0
with VAC/OCC
indicator window



EMT-Q



EMTI-Q
with color
indicator window



EMTI-Q-V0
with VAC/OCC
indicator window

Deadbolt Mechanical Options

Privacy Bolt



PB60 - 2-3/8" Backset Privacy Bolt
PB70 - 2-3/4" Backset Privacy Bolt

Non-keyed auxiliary bolt ordering example:
Privacy Bolt with R71 ADA Thumbturn with EMTI Coin Release

R71	EMTI	PB70	626
-----	------	------	-----

Communicating Deadbolt



B80 and B81 Single-Side Heavy Duty Communicating Deadbolt

Features

- 1" throw high strength stainless steel deadbolt resists sawing and kick-in attacks strength and operational requirements
- Ergonomic pivot-type turnknob for ease of use
- Multiple backset choices including 2-3/4" and 2-3/8"
- Certified to meet or exceed ANSI/BHMA A 156.5 Grade 1 strength and operational requirements
- UL listed for "A" label (3-hour) single doors, 4' x 8'
- Available both as B80 for blind hole applications (flush surface on communicating side of door) or as B81 for through bore applications (cover plate on communicating side of door)
- Q designates square option (i.e. B80Q)



Specifications
<p>Door Thickness: 1-3/8" to 2" wood or metal door; thick door configurations available upon request</p> <p>Backset: 2-3/4" (70mm) standard; 2-3/8" (60mm) optional</p> <p>Deadbolt: 1" throw</p> <p>Strikes: Square corner, 1-1/8" x 2-3/4", furnished with dust box and frame support plate</p> <p>Finishes: Per project specification</p>

Function Code (Deadbolt Application)	Illustration Outside ◀ ▶ Inside	Operation
B80 (BLIND HOLE)		Deadbolt by thumbturn inside. No trim on other side.
B81 (THROUGH BORE)		Deadbolt by thumbturn inside. Blank plate on other side.

Communicating deadbolt ordering example::

Communicating deadbolt for blind hole prep, standard backset, in polished chrome finish with square corner strike.


Function	Item	Finish	Backset	Misc.
B80 (Blind hole prep) B81 (Through hole prep)	Communicating Deadbolt COM DB	Per project specification	2-3/8" 2-3/4"	Q (Designates square deadbolt option)

Contemporary Deadbolts

D500 Series Square Deadbolt






Standard Specifications	
Door Prep	Cross bore: 2-1/8" Edge bore: 1" Latch face: 1" x 2-1/4"
Backset	Fits 2-3/8" and 2-3/4"
Door Thickness	1-3/8" ~ 1-3/4" door standard
Cylinder	SC Keyway 6-pin Standard
Latches	2-3/8" and 2-3/4" available Faceplate: 1" x 2-1/4" Bolt: Full 1" throw
Base Material	Solid Brass Construction
Strikes	1-1/8" x 2-3/4" Includes Reinforcement Strike
Wood Screws	Combination screws that suit both wood and metal door mounting
Door Handing	Required on D540

Functions				
Outside	Inside	Model	Type	Description
		D520	Single Cylinder	Key Outside and Thumbturn Inside
		D540	Privacy	Thumbturn Inside and Visual Occupancy Indicator with Cointurn Outside
		D545	Privacy	Thumbturn Inside and Cointurn Outside

D600 Series Round Deadbolt



Standard Specifications	
Door Prep	Cross bore: 2-1/8" Edge bore: 1" Latch face: 1" x 2-1/4"
Backset	Fits 2-3/8" and 2-3/4"
Door Thickness	1-3/8" ~ 1-3/4" door standard
Cylinder	SC Keyway 6-pin Standard
Latches	2-3/8" and 2-3/4" available Faceplate: 1" x 2-1/4" Bolt: Full 1" throw
Base Material	Solid Brass Construction
Strikes	1-1/8" x 2-3/4" Includes Reinforcement Strike
Wood Screws	Combination screws that suit both wood and metal door mounting
Door Handing	Required on the D640

Functions				
Outside	Inside	Model	Type	Description
		D620	Single Cylinder	Key Outside and Thumbturn Inside
		D640	Privacy	Thumbturn Inside and Visual Occupancy Indicator with Cointurn Outside
		D645	Privacy	Thumbturn Inside and Cointurn Outside



Recessed | Round



RD-1

Privacy Function

Requires sliding door locking mechanism




RD-2

Passage Function



RD-3

Passage Function with no door edge finger pull



These recessed designs can be used on pocket doors and surface sliding doors.

Sliding door locking mechanisms

SL1 Hook Bolt

- Steel case 2 3/4" x 4" x 1/2" (70mm x 100mm x 12mm)
- 1 3/16" or 2" backset (30mm or 50mm)



SL2 Expanding Bolt

- ANSI 156.5, Grade 1,
- Heavy-weight steel case with zinc dichromate finish — 4 5/16" x 3 9/16" x 1" (100mm x 90mm x 25mm)
- 1" (25mm) projection deadbolt with expanding locking tabs, stainless steel
- 2 3/4" (70mm) backset



SL3 Expanding Bolt

- ANSI type mortise lock, UL listed
- Stainless Steel case and cover—3 1/2" x 5 1/2" x 3/4" (89mm x 140mm x 20mm)
- 1" (25mm) projection deadbolt with expanding locking tabs
- 2 3/4" (70mm) backset
- Multiple Functions Available—Operable by turnknob, keyed cylinder, or lever handle



Sliding Door Systems ordering example:

Round, recessed sliding door trim with a privacy 50mm backset lock mechanism in polished chrome finish

RD	RC	1	SL1-50	625	
Trim Shape	Mounting System	Function	Lock Mechanism	Finish	Misc.
Round RD	RC (Recessed)	1 Privacy lock mechanism 2 Flush cups with door edge pull 3 Flush cups	Not applicable for functions 2 or 3 SL1-50 50mm backset (default) SL1-30 30mm backset SL2 70mm backset SL3 70mm backset	605 625 626 or per specification	



Recessed | Oval



OV-1

Privacy Function

Requires sliding door locking mechanism




OV-2

Passage Function



OV-3

Passage Function with no door edge finger pull



These recessed designs can be used on pocket doors and surface sliding doors.

Sliding door locking mechanisms

SL1 Hook Bolt

- Steel case 2 3/4" x 4" x 1/2" (70mm x 100mm x 12mm)
- 1 3/16" or 2" backset (30mm or 50mm)



SL2 Expanding Bolt

- ANSI 156.5, Grade 1,
- Heavy-weight steel case with zinc dichromate finish — 4 5/16" x 3 9/16" x 1" (100mm x 90mm x 25mm)
- 1" (25mm) projection deadbolt with expanding locking tabs, stainless steel
- 2 3/4" (70mm) backset



SL3 Expanding Bolt

- ANSI type mortise lock, UL listed
- Stainless Steel case and cover—3 1/2" x 5 1/2" x 3/4" (89mm x 140mm x 20mm)
- 1" (25mm) projection deadbolt with expanding locking tabs
- 2 3/4" (70mm) backset
- Multiple Functions Available— Operable by turnknob, keyed cylinder, or lever handle



Sliding Door Systems ordering example:

Oval, recessed sliding door trim with a privacy 50mm backset lock mechanism in polished chrome finish

OV	RC	1	SL1-50	625	
Trim Shape	Mounting System	Function	Lock Mechanism	Finish	Misc.
Oval OV	RC (Recessed)	1 Privacy lock mechanism 2 Flush cups with door edge pull 3 Flush cups	Not applicable for functions 2 or 3 SL1-50 50mm backset (default) SL1-30 30mm backset SL2 70mm backset SL3 70mm backset	605 625 626 or per specification	



Recessed Square



SQ-1

Privacy Function


Requires sliding door locking mechanism

SQ-2

Passage Function

SQ-3

Passage Function with no door edge finger pull



These recessed designs can be used on pocket doors and surface sliding doors.

Sliding door locking mechanisms

SL1 Hook Bolt

- Steel case 2 3/4" x 4" x 1/2" (70mm x 100mm x 12mm)
- 1 3/16" or 2" backset (30mm or 50mm)



SL2 Expanding Bolt

- ANSI 156.5, Grade 1,
- Heavy-weight steel case with zinc dichromate finish — 4 5/16" x 3 9/16" x 1" (100mm x 90mm x 25mm)
- 1" (25mm) projection deadbolt with expanding locking tabs, stainless steel
- 2 3/4" (70mm) backset



SL3 Expanding Bolt

- ANSI type mortise lock, UL listed
- Stainless Steel case and cover—3 1/2" x 5 1/2" x 3/4" (89mm x 140mm x 20mm)
- 1" (25mm) projection deadbolt with expanding locking tabs
- 2 3/4" (70mm) backset
- Multiple Functions Available—Operable by turnknob, keyed cylinder, or lever handle



Sliding Door Systems ordering example:

Square, recessed sliding door trim with a privacy 50mm backset lock mechanism in polished chrome finish

SQ	RC	1	SL1-50	625	
Trim Shape	Mounting System	Function	Lock Mechanism	Finish	Misc.
Square SQ	RC (Recessed)	1 Privacy lock mechanism 2 Flush cups with door edge pull 3 Flush cups	Not applicable for functions 2 or 3 SL1-50 50mm backset (default) SL1-30 30mm backset SL2 70mm backset SL3 70mm backset	605 625 626 or per specification	



Recessed | Rectangle



RT-1

Privacy Function


Requires sliding door locking mechanism

RT-2

Passage Function

RT-3

Passage Function with no door edge finger pull



These recessed designs can be used on pocket doors and surface sliding doors.

Sliding door locking mechanisms

SL1 Hook Bolt

- Steel case 2 3/4" x 4" x 1/2" (70mm x 100mm x 12mm)
- 1 3/16" or 2" backset (30mm or 50mm)



SL2 Expanding Bolt

- ANSI 156.5, Grade 1,
- Heavy-weight steel case with zinc dichromate finish — 4 5/16" x 3 9/16" x 1" (100mm x 90mm x 25mm)
- 1" (25mm) projection deadbolt with expanding locking tabs, stainless steel
- 2 3/4" (70mm) backset



SL3 Expanding Bolt

- ANSI type mortise lock, UL listed
- Stainless Steel case and cover—3 1/2" x 5 1/2" x 3/4" (89mm x 140mm x 20mm)
- 1" (25mm) projection deadbolt with expanding locking tabs
- 2 3/4" (70mm) backset
- Multiple Functions Available— Operable by turnknob, keyed cylinder, or lever handle



Sliding Door Systems ordering example:

Rectangle, recessed sliding door trim with a privacy 50mm backset lock mechanism in polished chrome finish

RT	RC	1	SL1-50	625	
Trim Shape	Mounting System	Function	Lock Mechanism	Finish	Misc.
Rectangle RT	RC (Recessed)	1 Privacy lock mechanism 2 Flush cups with door edge pull 3 Flush cups	Not applicable for functions 2 or 3 SL1-50 50mm backset (default) SL1-30 30mm backset SL2 70mm backset SL3 70mm backset	605 625 626 or per specification	




Recessed Pulls | Mezza Luna

Frascio Mezza Luna pulls provide a perfect recessed flush pull for interior swinging or sliding doors. The classic half-moon (mezza luna) opening shape provides a convenient recessed cavity for grasping and pulling the door leaf into the closed or open position.



RHM

Round recessed pull with half moon inset



QHM

Square recessed pull with half moon inset



Both pull shapes are designed for easy door prep and installation in a 1-7/8" bored hole.


Mezza Luna pulls also are ideal for use in millwork, cabinetry and furniture applications where a recessed flush pull is desired.

Pocket Door Edge Finger Pulls

Frascio RFP and QFP are designed with a slightly offset hole that provides an inside lip allowing a finger to grab and pull the door edge out of the recessed pocket.


RFP

Round finger pull



QFP

Square finger pull





Recessed | Teardrop



TD-1

Privacy Function

Requires sliding door locking mechanism




TD-2

Passage Function



TD-3

Passage Function with no door edge finger pull



These recessed designs can be used on pocket doors and surface sliding doors.

Sliding door locking mechanisms

SL1 Hook Bolt

- Steel case 2 3/4" x 4" x 1/2" (70mm x 100mm x 12mm)
- 1 3/16" or 2" backset (30mm or 50mm)



SL2 Expanding Bolt

- ANSI 156.5, Grade 1,
- Heavy-weight steel case with zinc dichromate finish — 4 5/16" x 3 9/16" x 1" (100mm x 90mm x 25mm)
- 1" (25mm) projection deadbolt with expanding locking tabs, stainless steel
- 2 3/4" (70mm) backset



SL3 Expanding Bolt

- ANSI type mortise lock, UL listed
- Stainless Steel case and cover—3 1/2" x 5 1/2" x 3/4" (89mm x 140mm x 20mm)
- 1" (25mm) projection deadbolt with expanding locking tabs
- 2 3/4" (70mm) backset
- Multiple Functions Available— Operable by turnknob, keyed cylinder, or lever handle



Sliding Door Systems ordering example:

Teardrop, recessed sliding door trim with a privacy 50mm backset lock mechanism in polished chrome finish

TD	RC	1	SL1-50	625	
Trim Shape	Mounting System	Function	Lock Mechanism	Finish	Misc.
Teardrop TD	RC (Recessed)	1 Privacy lock mechanism 2 Flush cups with door edge pull 3 Flush cups	Not applicable for functions 2 or 3 SL1-50 50mm backset (default) SL1-30 30mm backset SL2 70mm backset SL3 70mm backset	605 625 626 or per specification	



Surface Mounted

Turnknob Design Options



Emergency Release Options



Sliding door locking mechanisms

SL1 Hook Bolt

- Steel case 2 3/4" x 4" x 1/2" (70mm x 100mm x 12mm)
- 1 3/16" or 2" backset (30mm or 50mm)



SL2 Expanding Bolt

- ANSI 156.5, Grade 1,
- Heavy-weight steel case with zinc dichromate finish — 4 5/16" x 3 9/16" x 1" (100mm x 90mm x 25mm)
- 1" (25mm) projection deadbolt with expanding locking tabs, stainless steel
- 2 3/4" (70mm) backset



SL3 Expanding Bolt

- ANSI type mortise lock, UL listed
- Stainless Steel case and cover—3 1/2" x 5 1/2" x 3/4" (89mm x 140mm x 20mm)
- 1" (25mm) projection deadbolt with expanding locking tabs
- 2 3/4" (70mm) backset
- Multiple Functions Available—Operable by turnknob, keyed cylinder, or lever handle



Surface Mounted Sliding Door Systems ordering example:


Sliding door lock and trim with A51 turnknob rose x EMT emergency release with SL2 lock body in satin stainless steel finish.

A51	EMT	SL2	625	
Turnknob design	Release Design	Lock Mechanism	Finish	Misc.
A51	EMT	SL1-50 50mm backset (default)	Per project specification	
R71	EMTI	SL1-30 30mm backset		
H41	TPR	SL2 70mm backset		
C81	SQR	Not applicable for functions 2 or 3		
Q91	Blank (No release)			


Accessories

Furniture knobs and pulls are smaller than standard door knobs and door pulls and can be used in a variety of fixed-pull applications that include lighter-weight door leaves and thin-panel sliding and swinging doors.


A variety of additional designs are available. Contact us for more details.



FP29



FP522




760 Easy


- Complimentary items available:
- 201 Easy door pull
 - 200 Easy lever



FP54-128




FP54-96




Complimentary items available:

- 5041 Siena door pull
- 620 Tuke lever




FP24-1

Single-stone round knob




FP18-1

Single-stone square knob



FP20-4

Four-stone square knob



FP18-9

Nine-stone square knob


Complimentary "Sparkle Suite" levers available:

- 621 Queen lever
- 632 Nuit lever
- 623 King lever
- 633 Jour lever
- 631 Chic lever


Frascio door stops are constructed of high-quality brass or stainless steel materials and are available in finishes as required by project specifications. A variety of additional designs are also available. Contact us for more details.




540 Combination




543 Rectangular




544 Drum




545 Barrel



541 Dome




842 Barrel Dome



The 842 Barrel Dome door stop can be custom ordered in dimensions to fit any project.




853 Art Deco




The 853 Art Deco door stop can be custom ordered in dimensions to fit any project.

Architectural Hinges




HP Plain Bearing Hinge

Model No.	Dimensions (H, W, T)
HP 3.5 x 3.5	3.5" x 3.5" x .119"
HP 4 x 4	4" x 4" x .129"
HP 4.5 x 4	4.5" x 4" x .134"
HP 4.5 x 4.5	4.5" x 4.5" x .134"
HP 5 x 4.5	5" x 4.5" x .145"



2BB Standard Weight Hinge

Model No.	Dimensions (H, W, T)
2BBH 3.5 x 3.5	3.5" x 3.5" x .119"
2BBH 4 x 4	4" x 4" x .129"
2BBH 4.5 x 4	4.5" x 4" x .134"
2BBH 4.5 x 4.5	4.5" x 4.5" x .134"
2BBH 5 x 4.5	5" x 4.5" x .145"



HD4BBH Heavy Weight Hinge

Model No.	Dimensions (H, W, T)
HD4BBH 4.5 x 4	4.5" x 4" x .180"
HD4BBH 4.5 x 4.5	4.5" x 4.5" x .180"
HD4BBH 5 x 4.5	5" x 4.5" x .190"
HD4BBH 5 x 5	5" x 5" x .190"

Finish Options	
630	Satin Stainless Steel
629	Polished Stainless Steel
605	Polished Brass
606	Satin Brass
609	Antique Brass
619	Satin Nickel
622	Matte Black
695	Dark Bronze
IXBSB	Brushed Satin Black PVD
IXCPN	Satin Champagne PVD
IXPCPN	Polished Champagne PVD

Additional finishes may be available, please contact factory.

Architectural Hinges - General Information

Standards

Hinges are manufactured in accordance with ANSI/BHMA A156.1.

Types

Hinges are Full Mortise. Both leaves are mortised, one leaf in the door and one leaf in the frame.

Selecting the Proper Weight and Bearing Structure

Due to the variety of door sizes, materials and weights, hinges are placed into three categories:

Heavy Weight: Ball Bearing (HD4BBH Series)

Standard Weight: Ball Bearing (2BBH Series)

Standard Weight: Plain Bearing (HP Series)

Hinge Type Minimum Cycle Requirements

Plain Bearing = 350,000 cycles

Standard Weight Ball Bearing = 1,500,000 cycles

Heavy Weight Ball Bearing = 2,500,000 cycles

Hinge Base Material

Stainless Steel (standard on all hinges)

Security Feature

Available with the Non-Removable Pin (NRP) option. The barrel is drilled and tapped to receive a small set screw which is tightened against the hinge pin. The pin includes a groove to accept the set screw. The set screw may only be accessed when the door is in the open position.

Hinge Tip

Supplied with standard Flat Button Tips



Standard Screw Pack Information for Full Mortise Architectural Hinges

Part No.	Size	Screws
HP Series	3-1/2" and 4"	AWS & 1/2 MS
HP Series	4-1/2" and 5"	AMS & 1/2 WS
2BBH Series	3-1/2" and 4"	AWS & 1/2 MS
2BBH Series	4-1/2" and 5"	AMS & 1/2 WS
HD4BBH Series	4-1/2" and 5"	AMS & 1/2 WS

Fastener Details

- 3-1/2" hinges supplied with 10-24 x 1/2" Machine Screws and #9 x 1" Wood Screws
- 4", 4-1/2" and 5" hinges supplied with 12-24 x 1/2" Machine Screws and #12 x 1-1/4" Wood Screws

Care and Maintenance

- Hinges should be installed with no binding. The use of shims to properly align hinges, as required, is acceptable. On fire rated doors, shims must be steel.
- Hinges should be well greased and check regularly for proper lubrication.
- WD-40 and other similar products are not recommended for hinge lubrication.
- To clean, simply wipe with soft damp cloth. Abrasive cleaners should not be used. The use of abrasive cleaner or any paint thinner will void the warranty of the product.

Warranty Information

- 5 years from date of delivery
- Covers defects in workmanship and materials under normal use and service
- The warranty does not cover damage from improper installation, misuse, or failure to maintain hinges



Custom Solutions

Custom Solutions

Many times, a project requires something that is not available off of the shelf. This can range from a design that cannot be easily found, a need to reuse existing components, a need to retain the historical appearance, or to the desire to carry a design theme throughout the products in an entire project. All of these require the expertise and custom services offered by Frascio International. These three pages offer just a few examples of how Frascio International has helped to solve some of these dilemmas on previous projects:

Engineered Solutions

Challenge:

- Reuse existing doors and frames in renovation project
- Eliminate the need to do any repair work to door other than new paint
- Use new hardware that could also be compatible with current standard door preps
- Utilize lever design previously selected by architect



Mechanical Solution:

For passage function applications, Frascio custom engineered a special bracket to fill the old mortise lock cut out in the edge of the door to accommodate a ball catch mechanism. For privacy function applications, Frascio custom engineered special mounting brackets and a faceplate to allow a tubular privacy latch to be mounted in the existing door prep. Custom strike plates were designed for both applications to minimize modifications that needed to be made to the frame.



Trim Solution:

Frascio designed an escutcheon plate for the interior doors that covered all of the existing door preparation holes and old paint marks. The escutcheon was designed to utilize and complement the lever that had been selected by the architect. For the entrance doors, Frascio designed a trim plate to mount behind the new lock escutcheon plate that covered all previous door preparation holes and paint marks, and that allowed a current generation mortise lock to be installed in the door.



Custom Solutions

Design Customization

Challenge:

- Design custom stainless steel escutcheon with suite numbers included
- Utilize standard Frascio lever design

Solution:



Challenge:

- Provide old world style trim in white bronze to work with current generation mortise locks

Solution:



Challenge:

- Provide special large escutcheon plate to aesthetically integrate multiple locks on the same door

Solution:



Challenge:

- Provide rugged bronze appearance in hardware for access control locks, mechanical mortise locks, and interior tubular sets

Solution:



Challenge:

- Provide new escutcheon trim plates to match existing escutcheon plates to preserve historical integrity of building

Solution:



Custom Solutions

Product Design Suiting

Challenge:

- Provide pulls for drawers, cabinets, and doors that all have the same design

Solution:



Challenge:

- Provide door pulls of various lengths up to 7 feet long that can be used on wood and glass doors

Solution:



Challenge:

- Provide door pulls, cabinet and appliance pulls, and door lever handles that all incorporate the same design theme

Solution:



Custom Solutions

Suited Designs for Electronic Access Locks

Today, the use of access control locks is increasing dramatically.

In many cases, the standard trim styles available from the manufacturers of these locks are appropriate for the projects that they are used on.

However, when the design of the door hardware is an important consideration in a project, the trim styles available from some access control lock manufacturers may not be compatible with a custom design theme or adjacent decorative hardware on the project.

For this reason, **many Frascio lever designs can be adapted for use on electronic access control locks (such as SALTO Systems™, etc.) to provide a fully suited design package for your project.**

Since many variables can impact the use of Frascio levers and trim on access control locks (access control lock manufacturer, the specific series of lock, etc), contact us with your specific requirements to see how we can help you with the design elements of the access control locks on your project.



Suited Designs for Exit Device Trim

Exit devices play an important role in the compliance with life/safety requirements of almost every project.

Since many exit devices are used on doors that open into stairwells or to the outside of a building, the lever design used on the exit device trim is often not an important design consideration.

However, on doors where the exit device trim is adjacent to other doors with decorative trim (out swinging stairwell doors into first lever corridor, ballroom doors, etc.) the lever design can become an important consideration.

For these applications, **Frascio levers can be adapted for use on exit devices (such as Von Duprin® products). Using Frascio levers on exit devices as well as on mortise and tubular locksets allows you to carry the same design theme throughout the entire project without any interruptions.** There are some restrictions on the use of Frascio levers on exit devices, so contact us to determine how we can help you.



Responsive Creativity

Unlimited Possibilities

Your creativity can take shape in a variety of different forms, ranging from design modifications for our existing products, to all new designs for levers, roses, escutcheons, or pulls.

If you can imagine it, our talented design team can figure out how to engineer and produce it. We use 3D CAD technology to bring your ideas to life.



Deliver something remarkable without creative compromise?

If you're looking for something out of the ordinary for your project, getting started has never been easier. You have our commitment to make the process seamless and satisfying. Of all the tasks you and your team have to manage, searching for someone to develop the design solution you need shouldn't be one.

How can we be of assistance?



Frascio offers rapid 3D prototyping to create physical samples for a touch-and-feel review.

FR International, LLC
1011 3rd Avenue S.W.
Carmel, Indiana USA 46032
Tel: (317) 663-0030
Fax: (317) 663-0029
Toll Free: 1-800-238-9711
www.FRInternational.com



FRDC1225

Project References

MONTECITO, CA

Rosewood Miramar

MYRTLE BEACH, SC

DoubleTree by Hilton

NAPLES, FL

Ritz Carlton One Resort

NEW YORK CITY, NY

30 Morningside

625 Fulton

64 E. 1st Street Condominiums

139 Centre Street

205 E. 92nd Street

261 Hudson Street

318 W. 52nd Street

410 Waverly

520 W 28th St Luxury Condos

Bracebridge Capital

Columbia Doctor's Midtown Clinic

Continuum

Domino Park

Lexington Hotel

MLS

Nielsen

Peter Cooper Village –

Riverside South

Stuyvesant Town

The Strathmore Luxury Apartments

Thor Equities

Westin Hotel

ORLANDO, FL

Four Seasons Residences

Hyatt Regency Hotel

Port Orleans Resort Walt Disney World

PALM BEACH, FL

The Palm House Hotel

Ritz Carlton Residences

PALM COAST, FL

Cambria at Hammock Dunes

Le Jardin

Tuscany Tower

POMPANO BEACH, FL

Ritz Carlton Resort

PONTE VEDRA BEACH, FL

Sawgrass Marriott Golf Resort & Spa

RIVIERA DUNES, FL

Bel Mare

SAN FRANCISCO, CA

399 Freemont Street

Ebay, Inc.

One Rincon Hill

Stub Hub

Watermark Tower

SARASOTA, FL

Ritz Carlton Residences

SCOTTSDALE, AZ

Westin Kierland

SILVER SPRINGS, MD

Sheraton Hotel

SOUTH BEND, IN

Notre Dame Campus Crossroads

SUNNY ISLES, FL

Ritz Carlton Residences

TAMPA, FL

Omni Hotel

Ritz Carlton Residences Oaks

The Place at Channel Side

VAIL, CO

Sonnenalp Hotel

WASHINGTON D.C.

2400 14th Street

Adams Morgan Historic Hotel

City Center Condominiums

DoubleTree by Hilton

Grand Hyatt Hotel

Mayflower Renaissance Hotel

McLean Hilton

Renaissance Washington D.C. Hotel

WEST PALM BEACH, FL

Hilton Convention Center

WICKENBURG, AZ

Wickenburg Ranch Golf & Social Club

QATAR

DOHA

Islamic Studies Center

Lebanese Embassy

Msheireb Downtown Phase 1C, 2

New Doha International Airport

The Pearl, Porto Arabia

SAUDI ARABIA

RIYADH

CMA Tower

ITCC Complex

King Abdullah Financial District

MAKKAH

Conrad Hotel

Hilton Hotel

Hilton Suites Hotel

Marriott Hotel

UNITED ARAB EMIRATES

ABU-DHABI

Abu-Dhabi Commercial Bank

DUBAI

Azure Building – Dubai Marina

Capricorn Tower

Dhow Palace Hotel

Dubai International Airport

Dubai Media City, Phase 2

Golf Club Houses & Villas,

Emirates Hills

Le Riviera Tower

Mashreq Bank HQ

Sharjah Down-Town Center

RAS AL KHAIMAH

Wynn Al-Marjan

MIDDLE EAST

KUWAIT

KUWAIT CITY

Sieb Palace

LEBANON

BEIRUT

Movenpick Hotel & Resort

TRIPOLI

Balamand University

OMAN

MUSCAT

Grand Mosque

SALALAH

Royal Palace

ASIA

PHILIPPINES

MANILA

Okada Manila Bay Resort

SOUTH KOREA

SEOUL

Hankook Tire Headquarters



PR0326